Health Care Provider referrals to

Monoclonal Antibody Infusions

- Monoclonal antibodies (mAbs) directly neutralize the COVID-19 virus and are intended to prevent the progression of disease
- mAbs are likely to be most beneficial if given to patients early in symptom progression
- Product delivered via single IV infusion administration
- Early evidence suggest promise of mAb products in outpatient settings to reduce hospitalization

Process to refer your patients

- 1. Review patient eligibility criteria for patients with mild-moderate symptoms. Full criteria listed by FDA (<u>Bamlanivimab</u>, <u>Casirivimab and Imdevimab</u>).
- 2. Perform a COVID-19 PCR or Point-of-Care Rapid Antigen Test

(POC Antigen Tests can be supplied by MDH: complete this <u>form</u> if interested).

3. Refer your positive patients to a partnering infusion site* ASAP

to start treatment within 10 days of onset of symptoms.

Option 1 (Preferred)

OR

Option 2

Send e-Referral via the CRISP Unified Landing Page (<u>Starter guide</u>: pp. 1-7, 25-35) Complete referral form (<u>link</u> at top) and submit directly to infusion site

Adult Eligibility Criteria At least 1 of the

following:

- 1. BMI ≥35;
- 2. Chronic kidney disease;
- 3. Diabetes;
- 4. Immunosuppressive disease:
- 5. Receiving immunosuppressive treatment;
- 6. Age ≥ 65 years; OR
- 7. Age ≥ 55 years AND have any of the following:
- Cardiovascular disease
- Hypertension
- COPD/other chronic respiratory disease

* As of 1/22/21, sites accepting CRISP e-Referrals are as follows:

- Adventist–Takoma Park
- Atlantic General
- MedStar Health

- Meritus Health
- TidalHealth Peninsula Regional
- UMPC

Baltimore Convention Center Field Hospital (does not accept CRISP e-Referrals, use this <u>referral site</u>); Hatzalah of Baltimore (CRISP e-Referral not live yet)

